

KJT Sensors - KJT-J18 Series

Proximity Sensor - DC Power Supplies

KJT-JQT418-D08**-DS1285



- Performance more steady due to specialized IC
- Housing material : ABS
- Sensing distance Sn (mm) :1-8mm adjustable
- Output function : PNP/NPN NO/NC/NO+NC
- Power supply range: 10-36V DC
- Protection degree : IP67 (IEC)
- Provide customized service

Technical parameter


Size	M18*85mm
Mounting	Shielded
Sensing Distance SN [mm]	1-8mm adjustable
Housing material	ABS
Indicator	With LED
Operating voltage	10-36VDC
Output	PNP/NPN NO/NC/NO+NC
Ripple	<10%
No Load Current	<10mA
Max.Load Current	150mA
Leakage Current	<0.01mA
Voltage Drop	<1.5V
Switching Frequency	50 Hz
Response Time	1.5ms
Switching Hysteresis	<15%(Sr)
Repeat Accuracy	<3%(Sr)
Protection Degree	IP67
Operating Temperature	-25℃-+70℃
Temperature Drift	<10%(Sr)
Short Circuit Protection	Yes
Overload Trip Point	180mA
Connection	M12 4pin connector

KJT Sensors - KJT-J18 Series


Proximity Sensor - DC Power Supplies

KJT-JQT418-D08**-DS1285

Dimension drawing



Connection diagram



KJT Sensors - KJT-J18 Series

Proximity Sensor - DC Power Supplies

KJT-JQT418-D08**-DS1285

Model/Order Number	
Sn 1-8 mm DC 3 wire 10-36V PNP NO	KJT-JQT418-D08PA-DS1285
Sn 1-8 mm DC 3 wire 10-36V PNP NC	KJT-JQT418-D08PB-DS1285
Sn 1-8 mm DC 3 wire 10-36V NPN NO	KJT-JQT418-D08NA-DS1285
Sn 1-8 mm DC 3 wire 10-36V NPN NC	KJT-JQT418-D08NB-DS1285
Sn 1-8 mm DC 4 wire 10-36V PNP NO+NC	KJT-JQT418-D08PC-DS1285
Sn 1-8 mm DC 4 wire 10-36V NPN NO+NC	KJT-JQT418-D08NC-DS1285