

KJT Sensors - KJT-FJP4 Series

Fiber Sensor -DC Power Supplies

KJT-FJP404-Z*X-62V2



- Performance more steady due to specialized IC
- Though beam,diffuse reflection,L type,Window type,high-temperature type etc.
- Sensing distance Sn (mm) :0-60mm
- From diameter of ϕ 1.5mm to over M6 can be customized.
- High temperature type can be resistant high temperature of 350°C
- Provide customized service

Technical parameter


| | |
|--------------------------|------------------------------|
| Diameter | M4 |
| Reflection mode | Diffuse |
| Sensing Distance SN [mm] | 0-60mm |
| Optical fiber material | Plastic |
| Minimum detection object | ϕ 0.1 |
| The pipe material | Stainless steel |
| Optical fiber type | Head of optical fiber |
| Fiber length [m] | 1m |
| Fiber core size | Core 0.5, outer diameter 1.0 |
| Output | PNP/NPN |

KJT Sensors - KJT-FJP4 Series


Fiber Sensor - DC Power Supplies

KJT-FJP404-Z*X-62V2

Dimension drawing



Connection diagram



KJT Sensors - KJT-FJP4 Series

Fiber Sensor - DC Power Supplies

KJT-FJP404-Z*X-62V2

Model/Order Number

Sn 0-60mm DC 3 wire 10-36V PNP

KJT-FJP404-ZPX-62V2

Sn 0-60mm DC 3 wire 10-36V NPN

KJT-FJP404-ZNX-62V2